

Contents

1. The double roles of the winding in the electromechanical energy conversion	1
1.1. The lumped quantity approach	1
1.1.1. Separation of the electrical energy variation into dissipative and coupling electrical energy variation	3
1.1.2. The relationship between the coupling electrical energy variation, the mechanical energy variation and the magnetic energy variation	4
1.1.3. The relationship between the coupling electrical energy variation, the mechanical energy variation and the magnetic co-energy variation	5
1.2. The field quantity approach	5
1.3. Winding: a “double-way bridge”	7
2. The impacts of the winding on the machine performance	10
2.1. The winding insulation	10
2.2. The number of turns	10
2.3. The winding production method	11
2.4. The winding topology	15
2.4.1. Torque quality	15
2.4.2. Torque-speed operation range	16
2.4.3. Inductance	17
2.4.4. Electromagnetic losses	17
2.4.4.1. Winding copper losses	17
2.4.4.2. Iron losses	18
2.4.4.3. Permanent magnet eddy current losses .	21
3. An introduction to the winding topology	23
3.1. The understanding of the winding topology	23
3.1.1. The geometrical point of view	23
3.1.2. The electromagnetic point of view	23
3.2. A short introduction to the terminology	24
3.2.1. The existing terminology for the description of winding topology	24

3.2.2.	Terminology used in this thesis for the description of winding topology	26
3.3.	The two main problems for winding topology treatment .	27
3.3.1.	Winding topology analysis	27
3.3.2.	Winding topology design	27
3.4.	A historical review of the research activities	28
3.4.1.	Treatment of fundamental harmonic winding topology till the 1950s	28
3.4.1.1.	The great success in the achievement of winding topology treatment methods . .	29
3.4.1.2.	The research limitation	31
3.4.2.	The treatment of over-harmonic winding topology since the 1980s	31
3.4.2.1.	The adaptation of the long standing methods for over-harmonic winding topology	33
3.4.2.2.	The research limitations	34
4.	A systematical classification of winding topology treatment methods	35
4.1.	Preamble	35
4.2.	Winding topology analysis methods	38
4.2.1.	Methods based on EMF analysis	40
4.2.1.1.	The composite Approach	40
4.2.1.2.	The de-composite approach	42
4.2.2.	Methods based on MMF analysis	49
4.2.2.1.	Analysis of the MMF function of different domain	50
4.2.2.2.	Analysis of the MMF function of different shape	51
4.3.	Winding topology design methods	55
4.3.1.	Winding topology layout methods	55
4.3.1.1.	The deterministic approach	55
4.3.1.2.	The stochastic approach	68
4.3.2.	Winding topology modification methods	70
4.3.2.1.	The multi-layer approach	71
4.3.2.2.	The multi-slot approach	71
4.3.2.3.	The multi-turn approach	71
4.3.2.4.	The multi-conductor approach	72
4.3.2.5.	The multi-coil approach	73

5. A unified method for the treatment of the winding topology	79
5.1. Assumptions	79
5.2. The theoretical and mathematical Basis	80
5.2.1. Derivation of the analytical formula for the calculation of winding factor of arbitrary space harmonic order	80
5.2.2. Calculation of the winding factor space harmonic spectrum using matrix notation	84
5.2.3. The unique mapping of the winding factor harmonic spectrum and the normalized MMF distribution	85
5.2.4. The graphical presentation of the matrix notation	86
5.2.4.1. The winding factor harmonic spectrum .	86
5.2.4.2. The normalized MMF distribution	87
5.2.4.3. The symmetrical multi-phase current system	89
5.2.4.4. The winding direction	90
5.2.4.5. The normalized conductor distribution matrix: topology of the multi-phase winding	92
5.3. A unified method for winding topology analysis	94
5.3.1. The analysis procedures	94
5.3.2. Implementation of the method in Python	94
5.4. A unified method for winding topology design	95
5.4.1. The ideal winding factor harmonic spectrum . . .	95
5.4.2. The ideal normalized MMF distribution	96
5.4.3. The symmetrical multi-phase current system . . .	97
5.4.3.1. Number of phases equal number of slots .	97
5.4.3.2. Number of phases equal half number of slots	98
5.4.3.3. The other cases	98
5.4.4. Topology of the normalized conductor distribution matrix: types of winding topology	99
5.4.5. Determination of the normalized conductor distribution matrix: the primitive double-layer multi-phase winding	102
5.4.6. Exploitation of the symmetrical properties of the primitive multi-phase winding	104
5.4.6.1. Rotational symmetry: the symmetry between the primitive phase windings . . .	105

5.4.6.2.	Mirror symmetry: the symmetry within the primitive phase winding	106
5.4.7.	Connection of the conductors of the primitive coil group: the primitive coils	108
5.4.7.1.	The double-way connection approach . .	109
5.4.7.2.	The single-way connection approach . . .	110
5.4.8.	Derivation of the winding topology	112
5.4.8.1.	Design of the multi-turn winding topology	112
5.4.8.2.	Design of the multi-layer winding topology	113
5.4.8.3.	Design of the multi-coil winding topology	114
5.4.8.4.	Design of the multi-conductor winding topology	114
5.4.8.5.	Design of the double-layer winding topology	116
5.4.8.6.	Design of the single-layer winding topology	117
5.4.9.	Evaluation of the winding topology: calculation of the winding factor harmonic spectrum	119
6.	Application of the proposed method for the treatment of winding topology	125
6.1.	The 3-phase fundamental and over-harmonic winding of 12 slots	126
6.1.1.	The design procedure	126
6.1.1.1.	The ideal winding factor harmonic spectrum	126
6.1.1.2.	The ideal normalized MMF distribution .	126
6.1.1.3.	The normalized conductor distribution matrix and the primitive double-layer multiphase winding	128
6.1.1.4.	The rotational symmetry and the primitive single-phase winding	133
6.1.1.5.	The mirror symmetry and the primitive coil group	136
6.1.1.6.	The connection matrix and the primitive coils	139
6.1.1.7.	Derivation of the multi-turn and the multi-layer winding topology	142
6.1.1.8.	Derivation of the multi-coil and the multi-conductor winding topology	145
6.1.1.9.	Derivation of the double-layer winding topology	148

6.1.1.10.	Derivation of the single-layer winding topology	151
6.1.2.	Evaluation and discussion of the results	154
6.1.2.1.	The fundamental harmonic winding	154
6.1.2.2.	The over-harmonic winding	160
6.2.	The 3-phase winding of 9 slots with working Harmonic of 4	167
6.2.1.	The normalized conductor distribution matrix and the primitive double layer winding	168
6.2.2.	The primitive single phase winding and the primitive coil group	169
6.2.3.	The double- and single-way connections	170
6.2.4.	Discussion of the resulting winding topologies	173
6.2.4.1.	The multi-turn and multi-layer winding topology	173
6.2.4.2.	The single- and double-layer winding topology	176
6.2.4.3.	The multi-coil and multi-conductor winding topology	176
6.3.	The 6-phase winding of 24 slots with working harmonic of 5	179
7.	Winding theory: a far from completed topic	186
7.1.	Electric winding topology reconfiguration	187
7.1.1.	Asynchronous machine	187
7.1.2.	Synchronous machine	188
7.2.	Winding with individual slot excitation	188
7.3.	Issues of further investigation	190
A.	Implementation of the proposed method in Python	192
A.1.	Codes for the winding topology analysis	192
A.2.	Codes for the graphical presentation	193
A.2.1.	The winding factor harmonic spectrum	193
A.2.2.	The normalized MMF distribution	194
A.2.3.	The normalized conductor distribution matrix	194
A.2.4.	The winding topology	196
A.3.	Codes of the design algorithm	198
A.3.1.	Obtain the ideal MMF distribution from the ideal winding factor harmonic spectrum	198
A.3.2.	Obtain the primitive multi-phase winding topology from the ideal MMF distribution and the multi-phase current system	199

Contents

A.3.3. Obtain the primitive single-phase winding topology through detecting the rotation symmetry	200
A.3.4. Obtain the primitive coil group through detecting the mirror symmetry	201
A.3.5. Obtain the primitive coils through detecting the connection matrix	202
A.3.6. Obtain the coils of particular winding topology . .	206
Bibliography	209
Nomenclature	219
List of Figures	227